

64258 20 W 12 V

Low-voltage halogen lamps without reflector



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



Product datasheet

Technical data


Electrical data

Nominal wattage	20.00 W
Nominal voltage	12 V

Photometrical data

Nominal luminous flux	350 lm
Luminous flux	350 lm

Dimensions & weight



Diameter	9.5 mm
Length	30.0 mm
Light center length (LCL)	19.5 mm
Filament length	3.50 mm
Illuminated field	3.5*0.8 mm ² ¹⁾
Filament diameter	0.8 mm

¹⁾ Restricted tolerances 3.5±0.25*0.8±0.10

Lifespan

Lifespan	2000 h
----------	--------

Additional product data

Base (standard designation)	G4
-----------------------------	----

Capabilities

Burning position	s90
------------------	-----

Certificates & standards

Product datasheet

EEL – Energy Label	C
---------------------------	---



Country specific categorizations

Order reference	64258 20W 12V G
------------------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300285153	OSRH6425840	-	-	-

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321136336	64258 20 W 12 V	Folding carton box 1	- x - x -		
4008321136343	64258 20 W 12 V	Shipping carton box 40	144 mm x 121 mm x 107 mm	1.86 dm ³	205.00 g
4050300285153	64258 20 W 12 V	Folding carton box 1	70 mm x 23 mm x 25 mm	0.04 dm ³	3.67 g
4050300891019	64258 20 W 12 V	Shipping carton box 40	144 mm x 107 mm x 121 mm	1.86 dm ³	193.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.