


## 64222 10 W 6 V

Low-voltage halogen lamps without reflector



### Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

### Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

### Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)



# Product datasheet

## Technical data

### Product information

Order reference	64222 10W 6V PG
-----------------	-----------------


### Electrical data

Nominal voltage	6 V
Nominal wattage	10.00 W

### Photometrical data

Color temperature	3050 K
Nominal luminous flux	150 lm
Color rendering index Ra	100

### Dimensions & weight



Diameter	9 mm
Length	44.0 mm
Light center length (LCL)	14.0 mm
Filament length	1.30 mm
Illuminated field	1.3*0.8 mm <sup>2</sup>
Filament diameter	0.8 mm

### Lifespan

Lifespan	300 h
----------	-------

### Additional product data

Base (standard designation)	PG22
Minimum diameter of lamp enclosure	9 mm

## Product datasheet

### Capabilities

Burning position	Any
Application	Other

### Country specific categorizations

Order reference	64222 10W 6V PG
-----------------	-----------------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4050300327273   4008321074140
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300327273	OSRH64222	-	-	-
4050300327273	OSRH64222	-	-	-