

64643 150 W 24 V

Low-voltage halogen lamps without reflector



Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)



Product datasheet

Technical data

Product information

Order reference	64643 A1/262 FD
-----------------	-----------------


Electrical data

Nominal voltage	24.0 V
Nominal wattage	150.00 W

Photometrical data

Color temperature	3450 K
Nominal luminous flux	5000 lm
Color rendering index Ra	100

Dimensions & weight



Diameter	15.0 mm
Length	57.0 mm
Light center length (LCL)	33.5 mm
Filament length	6.00 mm
Illuminated field	6.0*3.0 mm ²
Filament diameter	3.0 mm

Lifespan

Lifespan	100 h
----------	-------

Additional product data

Base (standard designation)	GY9.5
Minimum diameter of lamp enclosure	14 mm

Product datasheet

Capabilities

Burning position	s90
Application	Other

Country specific categorizations

ANSI code	FDS
LIF	A1/262
Order reference	64643 A1/262 FD

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-04-2022
Primary Article Identifier	4008321099648
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321099648	OSRH64643	-	-	-
4008321099648	OSRH64643	-	-	-