

## 64789 CP/73 FKK 2000W 230V 6/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54540
Product Name	64789CP73FKK230V 6/CS 1/SKU
Ordering Abbreviation	64789 CP/73 FKK 2000W 230V 6/CS 1/SKU
Brand Name	OSRAM
General Description	Tungsten Halogen, 64789, CP/73, FKK, 2000W, 230V, G38 base, single-end
Application	Stage & Studio
Product Remark	- s (Operating Position) = Vertical, base down

#### Electrical data

Nominal Wattage	2000 W
Nominal Voltage	230 V
Type of Current	AC

#### Light technical data

Luminous Flux	52000 lm
Light Center Length - LCL (in)	4.953 in
Light Center Length - LCL (mm)	127 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	400 h

#### Physical attributes


Base	G38 Mogul Bipost
Bulb Shape	T10
Maximum Overall Length (in)	7.913 in
Maximum Overall Length (mm)	201 mm
Length l (in)	7.913 in
Length l (mm)	201 mm
Length l max. (in)	7.913 in
Length l max. (mm)	201 mm
Diameter d (in)	1.339 in
Diameter d (mm)	34.00 mm
Distance a (in)	4.953 in
Distance a (mm)	127 mm
Filament	C-13

## Product datasheet

Filament Dimensions Length (in)	0.7480 in
Filament Dimensions Length (mm)	19 mm
Filament Dimensions Width (in)	0.787 in
Filament Dimensions Width (mm)	20 mm

### Additional product data

Operating Position	s 90
Class	C (gas)



### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54540	4008321654021	Folding box (SKU)	1	8.7 in x 3.5 in x 3.7 in	0.7 lb
54540	4008321984289	Shipping box (Case)	6	11.4 in x 8.4 in x 10.5 in	6.2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.