


64571 800 W 240 V

Halogen studio lamps, double-ended



Areas of application

- Professional film and TV work
- Theater and concert stages
- Entertainment

Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Product datasheet

Technical data

Product information

Order reference	64571 DXX P2/13
-----------------	-----------------


Electrical data

Nominal wattage	800.00 W
Nominal voltage	240...250 V
On-mode power	820.0 W
Energy consumption in on-mode	820 kWh/1000h

Photometrical data

Color temperature	3200 K
Color rendering index Ra	100
Luminous efficacy	25.6 lm/W
Φ_{use} value refers to luminous flux ..	in a sphere (360°)
Correlated color temperature CCT	3121 K
Useful luminous flux (Φ_{use})	18760 lm
Chromaticity coordinate x	0.429
Chromaticity coordinate y	0.401

Dimensions & weight



Diameter	17.0 mm
Length	74.9 mm
Length with base excl. base pins/connection	78.30 mm

Lifespan

Lifespan	75 h
----------	------

Product datasheet

Additional product data

Base (standard designation)	R7s
-----------------------------	-----

Capabilities

Dimmable	Yes
Burning position	Other ¹⁾

¹⁾ Burning position preferably horizontal, vertical possible for a short time

Certificates & standards

Energy efficiency class	G
-------------------------	---

Country specific categorizations

ANSI code	DXX
LIF	P2/13
Order reference	64571 DXX P2/13

Logistical data

EAN 10 of contained light source	4050300283388
----------------------------------	---------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4050300283388
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300283388	OSRH64571240V	-	-	-
4050300283388	OSRH64571240V	-	-	-