

64668 XIR 80W 22.8V 40/CS 1/SKU



Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54323
Product Name	64668XIR80W 40/CS 1/SKU
Ordering Abbreviation	64668 XIR 80W 22.8V 40/CS 1/SKU
Brand Name	OSRAM
Family Brand Name	XIR
General Description	80 watt, tungsten halogen, bi-pin, Infrared

Electrical data

Nominal Wattage	80 W
-----------------	------

Light technical data



Luminous Flux	3050 lm
Color Temperature	3250 K
Color Rendering Index	100
Average Rated Life	750 h

Physical attributes

Base	G6.35 Bipin
Bulb Shape	E14
Diameter d (in)	0.551 in
Diameter d (mm)	14.00 mm

Additional product data

Lamp Type	SINGLE END
-----------	------------



Packaging Information

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
54323	4008321331182	Folding box (SKU)	1	1 in x 0.9 in x 2.8 in	
54323	4008321331199	Shipping box (Case)	40	5.7 in x 4.2 in x 4.8 in	0.4 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.