



Actinic BL TL(-K)/TL-D(-K)

Actinic BL TL TL-D 18W/10 1SL/25

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL(-K)/TL-D(-K)/TL-E/PL-S and PL-L lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice. Furthermore, the availability of a wide range of form factors (straight (T5, T8, T12), circular (TL-E) and compact (PL-S/PL-L)) and wattages enables you to make all kinds of designs for your electronic fly killers.

Product data

• General Information

| | |
|----------------------------|----------------------------------|
| Cap-Base | G13 [Medium Bi-Pin Fluorescent] |
| Main Application | Reprography (R) |
| Life To 50% Failures (Nom) | 13000 h |
| Useful Life (Nom) | 5000 h |

• Light Technical

| | |
|---------------------------------|---------|
| Color Code | 10 |
| Color Designation | Actinic |
| Chromaticity Coordinate X (Nom) | 222 |
| Chromaticity Coordinate Y (Nom) | 210 |

• Operating and Electrical

| | |
|---------------------|--------|
| Power (Rated) (Nom) | 18 W |
| Lamp Current (Nom) | 0.36 A |
| Voltage (Nom) | 59 V |

• Approval and Application

| | |
|----------------------------|--------|
| Mercury (Hg) Content (Nom) | 5.0 mg |
|----------------------------|--------|

• UV

| | |
|----------------------------|-------|
| UV-B/UV-A (IEC) | 0.2 % |
| UV-A Radiation 100Hr (IEC) | 5.0 W |

• Product Data

| | |
|---------------------------------|----------------------------------|
| Full product code | 871150026325440 |
| Order product name | Actinic BL TL TL-D 18W/10 1SL/25 |
| EAN/UPC - Product | 8711500263254 |
| Order code | 928048001003 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 25 |
| Material Nr. (12NC) | 928048001003 |
| Net Weight (Piece) | 68.900 g |

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


PHILIPS

Actinic BL TL(-K)/TL-D(-K)


Dimensional drawing

TL-D 18W/10


| Product | D | A | B | B | C |
|----------------------------------|-------|----------|----------|----------|--------|
| Actinic BL TL TL-D 18W/10 1SL/25 | 28 mm | 589.8 mm | 596.9 mm | 594.5 mm | 604 mm |



TL-D G13



Photometric data



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 23
data subject to change