

# GFT24DL/2G11/SE/OF 10/CS 1/SKU



#### Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free

#### Areas of application

- Air & Water Purification
- Surface Disinfection

#### Technical data

### **General Product Information**

Product number (Americas)	20849	
Product name (Americas)	GFT24DL/2G11/SE/OF 10/CS 1/SKU	
Global order reference	HNS L 24 W 2G11	

#### **Electrical Data**

Nominal wattage	24 W
Nominal voltage	87.0 V
Nominal current	0.4 A

#### **Photometric Data**

Luminous intensity

7800 cd

#### **Physical Attributes & Dimensions**



Lamp base	2G11
Diameter	40.0 mm
Length	314.5 mm
Product weight	82.00 g

## **Operating Conditions**

Burning position	s180
------------------	------

## Lifetime Data

Nominal lifetime	9000 hr
Nominal lifetime	9000 11

## Environmental & Regulatory Information

## Product datasheet

Primary article identifier	4008321220561   4008321516176		
Declaration no. in SCIP database 75c6667e-67b9-4606-a40d-98b7313f320b			
Candidate list substance 1	Lead		
CAS No. of substance 1	7439-92-1		
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.		

## Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

#### Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

#### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
20849	4008321220561	FOLDING BOX	1	1.9 in x 1.1 in x 13.7 in	0.2 lb
20849	4008321220578	SHIPPING BOX	10	5.4 in x 4.1 in x 14.2 in	2.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.